(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015

Page 1 of 10 Version 4 (replaces version 3) Print date: 15/11/2022 Revision date: 10/11/2022

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: APSA AMINOVIT

Product Code: 11011 - 17040 - 17045 - 17045 - 17273 - 17287 - 17291 - 17295 - 17344 - 17351 - 17352 - 17367 - 17413 - 17291 - 1729

17436-17483-17490-17520-17521-17686-17739-17740-17750-17898-17899-17920-17954-17957 - 17972 - 17981 - 17982 - 17987 - 17988 - 17999 - 18000 - 18023 - 18082 - 18098 - 18099 - 18104 - 18099 - 180918118-18124-18140-18145-18162-18193-18194-18257-18276-18280-18309-18369-18399-18400 - 18401 - 18409 - 18455 - 18462 - 18463 - 18490 - 18496 - 18555 - 22000 - 22000 - 22001 - 22001 - 22001 - 22001 - 22000 - 2200

22002-22091

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Use for animal feeding

#### Uses advised against:

Uses other than those recommended.

## 1.3 Details of the supplier of the safety data sheet.

**ANDRES PINTALUBA, S.A** Company:

Address: Poligon Industrial Agro-Reus C/ Prudenci Bertrana, 5

City: 43206 - REUS Province: Tarragona (España)

Telephone: 977317111 Fax: 977323188

E-mail: pintaluba@pintaluba.com Web: www.pintaluba.com

1.4 Emergency telephone number: +34977317111 (9:00-18:00 h) (Only available during office hours; Monday-Friday; 08:00-

18:00)

#### **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Repr. 1B: May damage fertility or the unborn child.

#### 2.2 Label elements.

## Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



#### Signal Word:

## **Danger**

#### Hazard statements:

May damage fertility or the unborn child. H360 H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements:

Obtain special instructions before use. P201

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P280

P308+P313 IF exposed or concerned: Get medical advice/attention.

Store locked up. P405

P501 Dispose of contents/container according to current, local/national legislation.

ANDRÉS PINTALUBA, S.A.

Pol. Ind. AGRO-REUS C/ Prudenci Bertrana, 5 C.P. 43206 REUS (ESPAÑA) Telf. +34 977 317 111 - Fax +34 977 323 188 e-mail: <u>pintaluba@pintaluba.com</u> – web: <u>www.pintaluba.com</u>



(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015

Page 2 of 10 Version 4 (replaces version 3) **Revision date: 10/11/2022** Print date: 15/11/2022

andrés pintaluba



EUH208 Contains propyl 3,4,5-trihydroxybenzoate. May produce an allergic reaction. EUH208 Contains Anise, star oil (Illicium verum). May produce an allergic reaction.

Contains: retinyl palmitate

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not Applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 57-55-6 EC No: 200-338-0 Registration No: 01- 2119456809-23-XXXX	[2] Propylene glycol	10 - 25 %	-	-
Index No: 607-198- 00-3 CAS No: 121-79-9 EC No: 204-498-2	propyl 3,4,5-trihydroxybenzoate	0.1 - 1 %	Acute Tox. 4 *, H302 - Skin Sens. 1, H317	-
CAS No: 79-81-2 EC No: 201-228-5 Registration No: 01- 2119480425-37-XXXX	retinyl palmitate	0.3 - 25 %	Aquatic Chronic 4, H413 - Repr. 1B, H360	-
CAS No: 68952-43-2 EC No: 283-518-1	Anise, star oil (Illicium verum)	0.1 - 1 %	Aquatic Chronic 3, H412 - Carc. 2, H351 - Muta. 2, H341 - Skin Sens. 1, H317	ı
CAS No: 128-37-0 EC No: 204-881-4 Registration No: 01- 2119565113-46-XXXX	[2] 2,6-di-tert-butyl-p-cresol	0 - 0.25 %	Acute Tox. 4, H302 - Aquatic Chronic 1, H410 (M=1) - Eye Irrit. 2, H319	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

#### **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

Delayed effects may occur after the exposure to the product.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

<sup>[2]</sup> Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015

Page 3 of 10 Version 4 (replaces version 3) Revision date: 10/11/2022 Print date: 15/11/2022



#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

Long-term chronic exposure may result in injury to certain organs or tissues.

## 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

#### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

## 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

#### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

## Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

## 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).


#### 6.4 Reference to other sections.


For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**





andrés pintaluba

#### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Professional use only.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

## 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
	57-55-6	United Kingdom [1]	Eight hours	150 (total vapour and particulares)	474 (total vapour and particulares) 10 (particulates)
Propylene glycol			Short term		
		Éire [2]	Eight hours	150 (vapour and particulates)	470 (vapour and particulates) 10 (particulates)
			Short term		
	utyl-p-cresol 128-37-0	United	Eight hours		10
2,6-di-tert-butyl-p-cresol		Kingdom [1]	Short term		
2,0-di-tert-butyi-p-cresor		Éiro [2]	Eight hours		2
		Éire [2]	Short term		

<sup>[1]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
Propylene glycol	DNEL	Inhalation, Chronic, Local effects	10
CAS No: 57-55-6	(Workers)		(mg/m³)
EC No: 200-338-0	DNEL	Inhalation, Chronic, Systemic effects	168
EC NO. 200-336-0	(Workers)		(mg/m³)
2,6-di-tert-butyl-p-cresol	DNEL	Inhalation, Chronic, Systemic effects	3,5
CAS No: 128-37-0	(Workers)		(mg/m³)
EC No: 204-881-4			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

<sup>[2]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015

Page 5 of 10 Version 4 (replaces version 3) Print date: 15/11/2022 **Revision date: 10/11/2022** 

andrés pintaluba



## Measures of a technical nature:


Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %			
Uses:	Use for animal feeding			
<b>Breathing protecti</b>				
PPE:	Filter mask for protection against gases and particles.			
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.			
CEN standards:	EN 136, EN 140, EN 405			
Maintenance: Observations:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols:			
Observations.	P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.			
Filter Type needed:	A2			
Hand protection:				
PPE:	Non-disposable protective gloves against chemicals.			
Characteristics:	«CE» marking, category III. Check the list of chemicals for which the glove has been tested.			
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420			
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous than not using gloves, since the pollutant can gradually accumulate in the glove's material.			
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.			
	PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35			
Eye protection:				
PPE: Characteristics:	Protective goggles with built-in frame.  «CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.			
CEN standards:	EN 165, EN 166, EN 167, EN 168			
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.			
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.			
Skin protection:	эсгарту ссс.			
PPE:	Chemical protective clothing			
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material.			
CEN standards:	EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034			
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by			
	the manufacturer.  The protective clothing's design should facilitate correct positioning, staying in place without moving for			
Observations:	the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.			
PPE:	Anti-static safety footwear against chemicals.			
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.			
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345			
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.			
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.			

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015





#### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: brown

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 78 °C (Estimation based on the indication of the Regulation (CE)

Nº1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: 151 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.) Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 3,00-5,00

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 20,884 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1,00-1,10

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

#### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.

Unstable in contact with:

- Acids
- Bases
- Oxidizing agents.

## 10.3 Possibility of hazardous reactions.

Neutralization can occur on contact with bases.

In certain conditions this may cause a polymerization reaction.

#### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.
- Avoid contact with bases.

## 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Rases
- Oxidizing agents.

ANDRÉS PINTALUBA, S.A.

Pol. Ind. AGRO-REUS C/ Prudenci Bertrana, 5 C.P. 43206 REUS (ESPAÑA) Telf. +34 977 317 111 - Fax +34 977 323 188 e-mail: pintaluba@pintaluba.com – web: www.pintaluba.com



(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015

Version 4 (replaces version 3) Revision date: 10/11/2022



Page 7 of 10

# Print date: 15/11/2022

## 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- COx (carbon oxides).
- Organic compounds.
- Corrosive vapors or gases.

#### **SECTION 11: TOXICOLOGICAL INFORMATION.**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

There are no tested data available on the product.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Based on available data, the classification criteria are not met.

e) germ cell mutagenicity;

Based on available data, the classification criteria are not met.

f) carcinogenicity;

Based on available data, the classification criteria are not met.

g) reproductive toxicity;

Product classified:

Reproductive toxicant, Category 1B: May damage fertility or the unborn child.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

#### 11.2 Information on other hazards.

#### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### **Other information**

There is no information available on other adverse health effects.

## **SECTION 12: ECOLOGICAL INFORMATION.**

No information is available regarding the ecotoxicity of the substances present.

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.


## 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**





Name -		Bioaccumulation			
		Log Pow	BCF	NOECs	Level
Propylene glycol		-0,92	_	_	Very low
CAS No: 57-55-6	EC No: 200-338-0	-0,92	-	-	very low

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

## 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. Not classified as hazardous for transport. IMDG:

Not classified as hazardous for transport. ICAO/IATA:

#### 14.3 Transport hazard class(es).

Transportation is not dangerous.

## 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

#### 14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.


ANDRÉS PINTALUBA, S.A.


Pol. Ind. AGRO-REUS C/ Prudenci Bertrana, 5 C.P. 43206 REUS (ESPAÑA) Telf. +34 977 317 111 - Fax +34 977 323 188 e-mail: <u>pintaluba@pintaluba.com</u> – web: <u>www.pintaluba.com</u>



(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**





andrés pintaluba

#### **SECTION 15: REGULATORY INFORMATION.**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

## Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 3: Chronic effect to the aquatic environment, Category 3 Aquatic Chronic 4: Chronic effect to the aquatic environment, Category 4

Carc. 2: Carcinogen, Category 2 Eye Irrit. 2: Eye irritation, Category 2 Muta. 2: Mutagen, Category 2

Repr. 1B: Reproductive toxicant, Category 1B Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1 : Skin sensitiser, Category 1

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used: BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

Derived No Effect Level, level of exposure to the substance below which adverse effects are not DNEL:

anticipated.

EC50: Half maximal effective concentration. Personal protection equipment. PPF: LC50: Lethal concentration, 50%.

(in accordance with Regulation (EU) 2020/878)

## **APSA AMINOVIT**

Version 1 Date of compilation: 15/05/2015 Page 10 of 10
Version 4 (replaces version 3) Revision date: 10/11/2022 Print date: 15/11/2022

andrés pintaluba

LD50: Lethal dose, 50%.

NOEC: No observed effect concentration.

Key literature references and sources for data: http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/
Regulation (EU) 2020/878.

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.